



09-29-03

Docket No. 212/473

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

In re Application of:

Howell, Thomas A.

Serial No.: 10/619,710

Filed: July 14, 2003

For: Power Supply For
Identification and Control of
Electrical Surgical Tools

Art Unit: unassigned

Examiner: unassigned

TRANSMITTAL OF SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313

Sir:

Enclosed please find Applicant's Information Disclosure
Statement.

Date: September 25, 2003

By:

K. David Crockett, Esq.
Reg. No. 34,311

Certificate of Mailing (37 CFR 1.10)

I hereby certify that this response (along with any paper referred to as being attached or enclosed) is being deposited in Express Mail using Express Mail Post Office to Addressee with the United States Postal Service on the date shown below in an envelop addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313.

Express Mail No. EV320597299US
Date: September 25, 2003

Venus Pelayo



FORM PTO-1449 (REV. 8-00)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTY DOCKET NO. 212/473		SERIAL NO. 10/619,710	
LIST OF PRIOR ART CITED BY APPLICANT (use several sheets if necessary)				APPLICANT Howell, Thomas A.			
				FILING DATE July 14, 2003		GROUP unassigned	
U.S. PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	AA	5,242,441	9/93	Avitall	606	41	
	AB	6,176,856	1/01	Jandak et al.	606	29	
	AC						
	AD						
	AE						
	AF						
	AG						
	AH						
	AI						
	AJ						
	AK						
FOREIGN PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
	AL						
	AM						
OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, Etc.)							
EXAMINER				DATE CONSIDERED			
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant							